INDEX TO VOLUME 73

New names and combinations are designated by **bold-face** type. The names of contributors are in CAPITALS.

Abies balsamea, 205
Acacia cornigera, 358; *cymbispina*, 358; *farnesiana*, 358; *pennatula*, 358
Acalypha brachystachys, 123
Acenaphthene, effect of on plant tissue, 34–59, 167
Acer pennsylvanicum, 590; *rubrum*, 1, 15, 29
Acetabularia calyculus, 76, 78; *major*, 77, 78
Achlyogeton entophyton, 8
Acnida cannabina, 93
Aconitum napellus, 62, 63
Acorus calamus, 64
Acrobeloides bütschlii, 1; sp, 1–5
Actinidia chinensis, 128; *lanata*, 128
Additional introduced plants in the Aleutian Islands, 204
Agrimonia striata, 461
Agropyron repens, 64
Ailanthus altissima, 128
AJELLO, LIBERO: Minutes of meetings of the Club, 475–478
Akebia quinata, 589; *trifoliata*, 114
Alangium platanifolium, 128
Albizzia versicolor, 348, 349
Aleutian Islands, introduced plants in, 204
Algae, Proposed names for the phyla of, 217
ALLEN, GEORGE S.: The origin of the microsporangium of *Pseudotsuga*, 547
Allionia nyctaginea, 594
Allium cepa, 34–59, 167–180, 476; *tricoccum*, 594
Alnus cremastogyne, 128; *nepalensis*, 128
Aloe barbadensis, 62; *vera*, 62, 63
Althaea rosea, 129
Amblystegium varium, 164
American botanical literature, Index to, 96, 208, 327, 381, 481, 595
Amelanchier laevis, 205; *oblongifolia*, 29
Amphicarpaea edgeworthii, 113
Anadyomene flabellata, 75, 77; *leclancherii*, 75, 77; *stellata*, 75, 77; *plicata*, 75; *wrightii*, 75
Andropogon glomeratus, 28; *scoparius*, 204
Anomalosicyos, A new genus in Cucurbitaceae, 565; **andreanus**, 569; **barbatus**, 565; f. **lobatus**, 567; **fusiformis**, 569; **macrocarpus**, 569; **martii**, 569; **palmatilobus**, 569; **quinquelobatus**, 569
Anomodon attenuatus, 164; *minor*, 164
Another station for *Lactuca stolonifera*, 589
Aphanomyces camptostylus, 9
Apocynum cannabinum var. *hypericifolium*, 64
Aquilegia aff. *skinneri*, 460; *canadensis*, 590
Arabis canadensis, 590; *lyrata*, 590
Aralia nudicaulis, 64; *racemosa*, 64
Arbutus xalapensis, 458
Arenaria congesta var. **charlestonensis**, 326; var. *macradenia*, 326; *fendleri* var. *glabrescens*, 326; **filiorum**, 326; *kingii* subsp. **rosea**, 326; *macradenia*, 326; subsp. **macradenia**, 326; subsp. *macradenia* var. **macradenia**, 326
Aristida schiedeana, 459
Aronia arbutifolia, 29
Artemisia sieveriana, 129
Arthrobotrys oligospora, 1
Arundinaria longifolia, 361
Asarum canadense, 64
Ascaris infecta, 13
Asellaria caulleryi, 14
Astreptonema longispora, 13
Atropa belladonna, 62, 63
Avrainvillea erecta, 74, 78
Azalea atlantica, 29
Azolla caroliniana, 93

BALDWIN, J. T., JR.: *Banisteria caapi* Spruce: its chromosomes, 282. Cytogeography of *Emilia* Cass. in the Americas, 18
Banisteria caapi, 282–284; chromosomes, 282; *quitensis*, 282
Banisteriopsis inebrians, 282
Barbula crügeri, 160, 163
BARKLEY, FRED A.: Noteworthy plants of Texas—V. Additional Psoraleae, 131
BARRETT, MARY F.: *Ficus tsjahela*, 86. The case of the vanishing *Ficus racemosa*, 312
Basidiobolus ranarum, 10, 11
Batrachospermum orthostichum, 434
Begonia evansiana, 113; *yunnanensis*, 113
Berberis amurensis, 117; *thunbergii*, 117; *vulgaris*, 117; *wilsonae*, 129
Betula lutea, 590; *papyrifera minor*, 205
Bidens pinnata, 108
Bischofia trifoliata, 123

BHADURI, P. N.: Cytogenetics of *Datura fastuosa* L., 438
Blastus pauciflorus, 117
Bocconea arborea, 461
Bombardia lunata, 406, 407
Bombax palmeri, 358, 361, 362
Bornetella oligospora, 76, 78; *sphaerica*, 76, 78
Botanical literature, Index to, 96, 208, 327, 381, 481, 595
Botrytis allii, 342
Bouteloua eludens, 362
Bouvardia bouvardioides, 360
Brachelyma robustum, 165
Brachythecium salebrosum, 164
Brassica, evaluation of taxonomic characters of, 244–281; key to cultivated species and varieties, 370; *alba*, 246, 266, 273, 277, 371; *alboglabra*, 247, 270; *arvensis*, 246; *campestris*, 245, 247, 250, 251, 257, 262, 266, 268, 269, 272–278, 372, 376; var. *annua*, 245; var. *erecti-siliquosa*, 376; var. *oleifera*, 245, 253, 259, 261, 267, 371, 372, 374; var. *rapifera*, 245, 254, 259, 267, 374; *carinata*, 246, 247, 250–253, 260–269, 271–278, 371, 373, 376; *cernua*, 245; *chinensis*, 246–249, 254, 260–262, 264–266, 269, 270, 273, 276, 278, 281, 370–372, 376; var. *albiflora*, 254, 259, 265, 374; var. *angustifolia*, 257–259, 265, 374; var. *communis*, 257, 265, 374; var. *pandurata*, 248, 250–254, 257–259, 264, 265, 267–270, 273, 274, 370–372, 374; var. *pekinensis*, 257–259, 265, 273, 374; var. *purpurea*, 262; var. *rosularis*, 248, 257, 259, 262, 374; *japonica*, 247; *juncea*, 205, 245–248, 254, 256, 257, 262, 264–266, 271, 273, 276, 277, 281, 371, 376; var. *crispifolia*, 257, 374; var. *gracilis*, 253, 254, 256, 261, 264, 265, 267, 269, 270, 272, 274, 276, 278, 374; var. *linearifolia*, 248, 254, 256, 257, 374; var. *megarrhiza*, 254, 265, 267, 374; var. *multisecta*, 256, 257, 374; var. *oblanceolata*, 256, 264, 265; var. *orthocarpa*, 248, 250, 251, 254, 264, 268, 276, 371, 374; var. *rugosa*, 256, 257, 265, 267, 278, 374; var. *tsatsai*, 254, 256, 374; var. *tumida*, 253, 265; *napella*, 247, 248, 250, 251, 268, 269, 272–274, 276, 277, 278; *napiformis*, 262, 266, 275, 278; *napobrassica*, 266, 272, 274, 275, 278; *napus*, 205, 245–247, 250, 251, 260, 264–276, 278, 371, 376; var. *annua*, 245; var. *napobrassica*, 245, 254, 265, 267, 373; var. *oleifera*, 245, 253, 261, 267, 373; *narinosa*, 246; *nipposinica*, 246; *nigra*, 245–247, 250–254, 260, 262, 266–269, 271–278, 371, 372, 376; *oleracea*, 245–247, 253, 254, 257, 259, 264–270, 273, 278, 371, 376; var. *acephala*, 245, 253, 257, 261, 265, 267, 269, 272, 274, 275, 278, 373; var. *alboglabra*, 265; var. *annua*, 245; var. *botrytis*, 373; var. *capitata*, 245, 257, 265, 373; var. *gemmifera*, 245, 373; var. *gongylodes*, 245, 253, 257, 259, 265, 267, 373; var. *italica*, 373; var. *rapa*, 245; var. *sabauda*, 245; *pekinensis*, 246–248, 266; *rapa*, 245–247, 254, 257, 264, 266, 267, 269, 273, 275, 370, 371, 376
Brosimum alicastrum, 359, 460, 461
BROWN, BABETTE I.: *Lippia lanceolata* and other unusual plants at Cross Lake, New York, 42
Bruchia donnellii, 157, 158, 162
Bryum argenteum, 157, 164; *capillare*, 164
BUELL, MURRAY F.: Jerome Bog, a peat-filled "Carolina bay," 24
Bumelia cuneifolia, 293
Bursera arborea, 358, 457; *laxiflora*, 358
Byrsonima crassifolia, 362

Cabi paraensis, 283
Caesalpinia caladenia 358; *eriostachys*, 358; *platyloba*, 358; *sepiaria*, 128; *sclerocarpa*, 358
Calathea aff. *cyclophora*, 461
Calliandra gentryi, 460
Callicarpa cana, 588
CAMP, W. H.: On the use of artificial heat in the preparation of herbarium specimens, 235
Campylium chrysophyllum, 164
Campylopus fragilis, 160, 163; *gracilicaulis*, 160, 163
Campylotropis polyantha, 127
Caprificus aspera latifolia, 317
Caragana chamlagu, 117
Carex annectens, 204; *scoparia*, 204; *stricta*, 204
Carlton Clarence Curtis, 1864–1945, 103
Carpinus turczaninovii, 122
Caryophyllaceae, 326
Case of the vanishing *Ficus racemosa*, 312
Cassia biflora, 357, 358; *emarginata*, 358; *tecomosuche*, 357
Castanea mollissima, 114, 128, 129
Castanopsis concolor, 113; *delavayi*, 113
Castilla, 545
Catenaria anguillulae, 8
Catherinaea macmillani, 162
Cathesticum, sp., 362

Caulerpa clavifera, 75, 77, 78; *crassifolia*, 76, 78; *freycinettii*, 76, 78; *laetivirens*, 76, 78; *macrodisca*, 77, 78; *peltata*, 75, 78; var. *macrodisca*, 77; *plumaris*, 74, 75, 78; *racemosa* var. *clavifera*, 74, 78; var. *laetivirens*, 75, 78; *selago*, 76, 78; *serrulata*, 76, 78; *sertularioides*, 74, 76, 78; *taxifolia*, 74, 78
Caulophyllum thalictroides, 64, 590
Cecropia, 545
Cedrela sinensis, 118, 120, 128
Ceiba acuminata, 361, 456, 460
Celastrus articulatus, 121
Celtis sinensis, 118, 127
Centaurea nigra var. *radiata*, 589
Chaetomorpha inflata, 74, 77; *kellersii*, 77
Chamaecyparis thyoides, 28
Chamaedaphne calyculata, 28
Chamberlainia acuminata, 164
Chauvinia clavifera, 74, 78
Chelidonium majus, 64
CHEYNEY, RALPH HOLT: Medicinal herbaceous species in the northeastern United States, 60
Chimophila umbellata, 62
China, Erysiphaceae of, 108
Chionanthus retusa, 116, 122
Chlorophora tinctoria, 358
Chlorophyceae, Philippine, 73
Chrysophyllum, South American species of, 286; *acreanum*, 289, 300; **albipilum**, 289, 299; *alnifolium*, 310; *ambelaniifolium*, 310; *amplifolium*, 308; *aquaticum*, 310; *arenarium*, 291, 309; *argenteum*, 289, 297; *aulacocarpum*, 288, 291; *auratum*, 289, 298; var. *majus*, 298; *brasiliense*, 310; *bumelioides*, 310; *buranhem*, 310; *caeruleum*, 297; *cainito*, 288, 290, 305, 311; *cayennense*, 310; *cearense*, 294; *cochlearium*, 290, 305; *crotonoides*, 310; *cuneifolium*, 287, 288, 291, 292; *cuspidatum*, 310; *cysneiri*, 294; **dusenii**, 290, 300; *ebenaceum*, 303; var. *latifolium*, 303; var. *longifolium*, 303; var. *obversum*, 303; var. *pedunculatum*, 303; var. *tomentosum*, 303; *elegans*, 310; *excelsum*, 288, 289, 291, 292; *eximium*, 310; *ferrugineum*, 306; *flexuosum*, 291, 310; *gardneri*, 310; *glabrum*, 297; *glaucescens*, 310; *glycyphloeum*, 311; *gonocarpum*, 289, 294, 304, 470; *granatense*, 290, 300; *grisebachii*, 302; *guilleminianum*, 303; *humboldtianum*, 311; *ilicioides*, 302; *immersum*, 297; *imperiale*, 287, 289, 295, 296; *inophyllum*, 311; *inornatum*, 291, 309; *januariense*, 291, 307; *klugii*, 311; *lanceolatum*, 309; *leptocarpum*, 311; *longifolium*, 311; **lucentifolium**, 290, 304; *lucumifolium*, 294; var. *obtusatum*, 294; *macoucou*, 311; *macrophyllum*, 311; *manglillo*, 311; *marginatum*, 290, 301–304; var. **marginatum**, 302; var. **obversum**, 302, 303; var. **tomentosum**, 302; *martianum*, 303; *maytenoides*, 302; α *normale*, 302; β *tenue*, 302; var. *myrtifolium*, 302; *melinoni*, 311; *michino*, 311; *minutifolium*, 311; *myrtifolium*, 302; *nitidum*, 289, 297; *obtusifolium*, 294; *oleifolium*, 311, 468; *oppositum*, 311; *ovale*, 290, 304; *parviflorum*, 311; *parvulum*, 289, 299, 300; *perfidum*, 295; *persicastrum*, 294; *prieurii*, 287, 288, 289; *psilophyllum*, 297; *pulcherrimum*, 291, 308; *pumilum*, 311; f. *glabrescens*, 311; *pyriforme*, 311; *ramiflorum*, 311; *reticulatum*, 311; *revolutum*, 289, 296; *rufocupreum*, 311; *rufum*, 291, 306; var. *acutifolium*, 306; *schomburgkianum*, 311; *sericeum*, 298; *sessiliflorum*, 311; *sparsiflorum*, 291, 307; var. *fagifolium*, 307, 308; *splendens*, 291, 308; *tomentosum*, 306; *ulei*, 311; *viride*, 289, 295
Chusquea liebmanii, 360, 361
Chytridium endogynum, 8; *zooticum*, 8
Cimicifuga racemosa, 65
Cinchona pitayensis, 61
Cirriphyllum boscii, 158
Cissus rhombifolia, 456
Cladonia cristatella, 92; *floridana*, 592; *grayii*, 92
Cladophora mauritiana, 75, 77; *pellucida*, 74, 77
Cladophoropsis sundanensis, 76, 77
Clasmatodon parvulus, 158, 165
CLAUSEN, ROBERT T.: *Dalea emphysodes*, an invalid name, 572. *Najas arguta* in Central America and its relationship to *N. wrightiana*, 363. A review of the status of several American species of *Dalea*, 80
Clethra alnifolia, 28
Climacium kindbergii, 158, 164
Cnidoscolus angustidens, 461
Cochlospermum vitifolium, 357–359, 456
Codium adhaerens, 75, 78; *dichotomum*, 74, 78; *difforme*, 76, 78; *elongatum*, 76, 78; *ovale*, 76, 78; *tenue*, 76, 78; *tomentosum*, 74–76, 78
Colchicine, effect of on plant tissue, 34–59, 167
Colchicum autumnale, 63

Combretum farinosum, 358
Compound leaf with annual increments of growth, 542
Conferva littoralis, 73; *setosa*, 73, 74
Conidiobolus brefeldianus, 10, 11
Convallaria majalis, 62, 63
Conzattia sericea, 358
Coptis trifolia, 65
Cordia alliodora, 358
Cornus disciflora, 458; *excelsa*, 455, 458; *stolonifera*, 205
Corydalis montana, 461
Corylus heterophylla, 114
Cosmos bipinnata, 108
Cotinus coggyria, 122
Coutarea latiflora, 358
Covellea glomerata, 323; *mollis*, 319, 323; *racemosa*, 323; *venosa*, 90
Crataegus scabrifolia, 111; *submollis*, 205
Crataeva palmeri, 358
CRONQUIST, ARTHUR: Studies in the Sapotaceae—V. The South American species of *Chrysophyllum*, 286; VI. Miscellaneous notes, 465
Crotallaria mollicula, 459
Croton, 545; *fragilis*, 358
Cryphaea glomerata, 158, 159, 165
Cucurbita pepo, 108
Cudrania tricuspidata, 120
Cupania fulvida, 544; *glabra*, 461
Cuphea procumbens, 457
Curious fungus on *Opuntia*, 219
Curtis, Carlton Clarence, 103; bibliography, 106, 107
Cuscuta, A new species of, 570; *californica*, 571; **columbiana**, 570, 571; *deltoides*, 571; *gracillima*, 570, 571; *saccharata*, 570, 571; *serrulata*, 571; *serruloba*, 571
Cyclophorus adnascens, 588; *lanceolatus*, 588
Cypripedium hirsutum, 65; *parviflorum*, 65; *pubescens*, 65
Cyrilla racemiflora, 26, 29
Cystodictyon leclancherii, 75, 77
Cytogenetics of *Datura fastuosa* L., 438
Cytogeography of *Emilia* Cass. in the Americas, 108

Dalbergia sissoo, 127
Dalea, Several American species of, 80; *carthaginensis*, 572; subsp. **domingensis**, 572; subsp. **thyrsiflora**, 572; subsp. **typica**, 572; *domingensis*, 80–85, 572; var. *paucifolia*, 85; **emphysodes**, 84, 85, 572; an invalid name, 572; subsp. **domingensis**, 85, 572; subsp. *emphysodes*, 85, 572; subsp. *thyrsiflora*, 85, 572; *enneaphylla*, 85; *floridana*, 80; *humilis*, 82–85; *inconspicua*, 83; *microphylla*, 84; **scandens**, 83, 84; *thyrsiflora*, 82, 85, 572; *trichocalyx*, 84, 572; *vulneraria*, 84
Dasturella grewiae, 347, 348
Datura arborescens, 438; *fastuosa*, 438–449; cytogenetics of, 438; var. *alba*, 439, 441–449; *stramonium*, 62, 63, 438, 439, 442, 446–448
Delacroixia coronata, 10, 11
Delphinium ajacis, 65; var. *alba*, 65
Dentaria diphylla, 590
Dermonema dichotomum, 431; *frapperi*, 431; *gracile*, 431
Dicentra canadensis, 65; *cucullaria*, 65
Dichonema erectum, 74, 78
Dicranella herminieri, 160, 163; *heteromalla*, 92, 163; *hilariana*, 160, 163; *varia*, 163
Dicranum bonjeani, 92; *condensatum*, 163
Dictyosphaeria cavernosa, 75, 77; *favulosa*, 75, 77
Digitalis purpurea, 61, 62
Diospyros kaki, 128; *lotus*, 128
Diploön, 466; **cuspidatum**, 466, 467
Dipterodendron elegans, 544
Ditrichum pallidum, 162; *pusillum*, 92
DODGE, B. O.: A curious fungus on *Opuntia*, 219. Self-sterility in "bisexual" heterocaryons of *Neurospora*, 410
Dodonea viscosa, 362
DRECHSLER, CHARLES: A nematode-destroying phycomycete forming immotile spores in aerial evacuation tubes, 1. A species of *Harposporium* invading its nematode host from the stoma, 557
Drosera anglica, 65; *longifolia*, 66; *rotundifolia*, 66
Dryopteris filix-mas, 66; *intermedia* var. *concordiana*, 594; *marginalis*, 66
Dubautia plantaginea, 188–192; var. *angustifolia*, 191, 192; var. *chamissonis*, 188–192; var. *glandulosa*, 192; var. *pauoaensis*, 192, 193; var. *strigosa*, 192, 193; var. *typica*, 188
Dumontia calvadosii, 430

Ecclinusa eximia, 310; **klugii**, 311; **opposita**, 311; **pumila**, 311; *ramiflora*, 311; **rufocuprea**, 311; **ulei**, 311
Eccrinia longa, 12, 13; *moniliformis*, 12
Effect of colchicine and acenaphthene in combination with X-rays on plant tissue—II, 34; III, 167

Embryological formulas in plant taxonomy, 351
Emilia, cytogeography of, 18; *coccinea*, 18–23; *sonchifolia*, 18–23
Enterobryus attenuatus, 12; *compressus*, 13; *elegans*, 12, 13; *spiralis*, 12, 13
Enteromorpha crinita, 76, 77; *flexuosa*, 76, 77; *intestinalis*, 74, 76, 77; *lingulata*, 77; *prolifera*, 76, 77
Entodon drummondii, 158, 164; *seductrix*, 159, 164
Ephemerum megalosporum, 163; *serratum*, 163
Equisetum arvense, 219
Erigeron canadensis, 66
Erpodium biseriatum, 162
Erysiphaceae of China, Further studies on, 108
Erysiphe cichoracearum, 108, 109, 111, 112, 128; *fuliginea*, 112; *graminis*, 112; *humuli*, 108; *japonica*, 126; *koelreuteriae*, 125; *lamprocarpa*, 111, 112; *plantaginis*, 111, 112; *polygoni*, 113; var. **epimedii**, 113, 116; *tabaci*, 111, 112
Erythea aculeata, 361
Erythrina montana, 459
Eupatorium perfoliatum, 66; *purpureum*, 66; var. *maculatum*, 66
Euphorbia **aff.** *tresmariae*, 358, 359; *multiformis*, 185; *remyi*, 185
Eurhynchium hians, 164; *rappii*, 164; *serrulatum*, 164; *strigosum*, 92
Evaluation of taxonomic characters of cultivated *Brassica* with a key to species and varieties—I. The characters, 244; II. The key, 370
Eysenhardtia reticulata, 468

Fabronia ravenelii, 165
Fagus japonica, 121
FASSETT, NORMAN C.: *Glyceria pallida* and *G. fernaldii*, 463
Fibrocentrum glaziovianum, 295
Ficus subg. *Neomorphe*, 318, 319; *bengalensis*, 89; *carica*, 312; *caudiciflora*, 320, 323; *caulobotrya*, 86; *chittagonga*, 323; *cunea*, 314; *descaineana*, 314; *frangulina*, 317; *garciae*, 317; *geniculata*, 87, 89, 90; *glomerata*, 312–323; var. *chittagonga*, 318, 319; var. *elongata*, 319, 320; var. *goolereca*, 319, 323; var. *miquelii*, 319, 323; var. *mollis*, 319, 320, 323; *goolereca*, 319; *indica*, 86, 89; *infectoria*, 86–90; *lacor*, 87–90; *lanceolata*, 320; *leucantatoma*, 88, 89; *leucatoma*, 88; *lucescens*, 320, 323; *minahassae*, 317; *mollis*, 323; *racemosa*, 312–322; case of the vanishing, 312; var. **elongata**, 322, 323; var. **mollis**, 322, 323; var. **typica**, 322, 323; var. *vesca*, 322, 323; *rigida*, 90; *saemocarpa*, 317; *surattensis*, 86; var. *malabarica*, 86; *trematocarpa*, 314; *trichocarpa*, 321, 323; *tsjahela*, 86–90; *variegata*, 317; *venosa*, 86, 88–90; *vesca*, 320, 323
Field trip reports, 378, 379, 590–594
Firmiana simplex, 118
Fissidens adiantoides, 162; *bushii*, 162; *minutulus*, 162; *osmundioides*, 162; *pellucidus*, 162; *polypodioides*, 160, 162; *ravenelii*, 162; *subbasilaris*, 162; *subcrenatus*, 157, 162; *viridulus*, 162
Fontinalis dalecarlica, 165; *disticha*, 165; *sullivanti*, 158, 165
Forsstroemia trichomitria, 158, 165; var. *immersa*, 165
Fouquieria macdougali, 362
Fraxinus chinensis, 129
Fucus denticulatus, 73; *edulis*, 73; *gulaman*, 73; *natans*, 73; *proliferus*, 73
Funaria flavicans, 163; *hygrometrica*, 163; *serrata*, 163
Fungicides, physiological and biochemical basis for research on, 339
Further consideration of glandular leaf hairs of tobacco and of their significance, 224
Further studies on the Erysiphaceae of China, 108
Fusarium oxysporum f. *lycopersici*, 341, 343

Garrya laurifolia, 358, 360
Gaultheria procumbens, 66
GENTRY, HOWARD SCOTT: *Anomalosicyos*, a new genus in Cucurbitaceae, 565. Notes on the vegetation of Sierra Surotato in northern Sinaloa, 451. Sierra Tacuichamona—a Sinaloa plant locale, 356
Geranium maculatum, 66
GILBERT, WILLIAM J.: Studies on Philippine Chlorophyceae—II. Survey of literature and list of recorded species prior to 1940, 73
Gilia aggregata group, 194; *aggregata*, 194–197, 199, 201, 202; subsp. *cuaggregata*, 198, 200–202; f. **pulchella**, 199, 201; subsp. **formosissima**, 196, 198, 201, 202; f. **aurea**, 196, 201, 202; f. *maculata*, 199, 201; *arizonica*, 196, 197, 200–202; *attenuata*, 195, 196, 198, 201, 202; f. **helleri**, 198, 201; f. **ventrensis**, 200–202; **bridgesii**, 197, 201, 202; *candida*, 195,

197, 200–202; f. **leucantha**, 198, 201; f. **scariosa**, 199, 200; *candida* **collina**, 197, 201; *candida* **vera**, 197, 200–202; *collina*, 198; *rubra*, 202; *tennituba*, 195, 199, 201, 202; f. **macrosiphon**, 199, 201, 202; f. **utahensis**, 200, 202; f. **violacea**, 200; *texana*, 195, 197, 198, 200–202; f. **flavida**, 198, 201, 202
Glomerella cingulata, 343
Glyceria fernaldii, 463, 464; *neogaea*, 463; *pallida*, 463, 464; var. *fernaldii*, 463; *stricta*, 463
Gonimochaete, 14; **horridula**, 3, 4, 15
Gordonia lasianthus, 29
Gossypium arboreum, 372; *barbadense*, 372; *herbaceum*, 372; *hirsutum*, 372
GOTTLIEB, DAVID: A physiological and biochemical basis for research on fungicides, 339
Grewia caffrae, 346; *monticola*, 346–348
Grossularia domestica, 314–316
Guarea rhopalocarpa, 542–546
Guasuma ulmifolia, 358

Haematoxylon brasiletto, 358
Halicoryne wrightii, 75, 78
Halimeda cuneata, 74, 75, 78; *discoidea*, 73, 74, 78; *gracilis*, 75, 78; *macroloba*, 73, 75, 76, 78; *opuntia*, 74–76, 78; *tuna*, 75, 78; f. *platydisca*, 73
Haplohymenium triste, 157, 160, 161, 164
Haptoglossa heterospora, 8
Harposporium anguillulae, 1, 557, 559, 561; *bysmatosporum*, 558; *diceraeum*, 559, 563; *helicoides*, 557; *oxycoracum*, 559
Hartmannia speciosa, 589
Hedeoma pulegioides, 63, 67
Helianthus annuus, 112
Helminthocladia calvadosii, 430, 433; *divaricata*, 430, 431, 433; *hudsoni*, 434; *papenfussii*, 430, 433; *purpurea*, 433
Hemerocallis, types of anthesis in, 134–154
Herbarium specimens, artificial heat in the preparation of, 235–243
Heterocaryosis, mating-type factors, and sexual reproduction in *Neurospora*, 397
Heterophyllium haldanianum, 92
Hibiscus mutabilis, 108; *syriacus*, 108
Homalotheciella fabrofolia, 158, 165; *subcapillata*, 164
Hordeum vulgare, 113, 559, 564
Hydrastis canadensis, 67
Hyoscyamus niger, 62, 63, 225
Hypericum perfoliatum, 67
Hypnum cupressiforme, 164; *patientiae*, 164; *pratense*, 164
Hypomyces solani f. *cucurbitae*, 406, 407
Hypoxylon punctatum, 594

Ilex glabra, 29; *laevigata*, 29; *lucida*, 29; *verticillata*, 205
Impatiens balsamina, 108
Imperatoria ostruthium, 588
Index to American botanical literature, 96, 208, 327, 381, 481, 595
Inga eriocarpa, 460
Inula helenium, 67
Ipomoea arborescens, 358; var. *pachylutea*, 456, 460; *decasperma*, 459; *hederacea*, 225
Ipomopsis rubra, 202
Iris versicolor, 67
Itea virginica, 29

Jacaranda copaia, 545
Jatropha gossypifolia, 588
Jerome Bog, a peat-filled "Carolina bay," 24
Juglans major, 460
Julus marginatus, 12
Juncus effusus, 204; *tenuis*, 204
JUST, THEODORE: The use of embryological formulas in plant taxonomy, 351
Justicia salviaeflora, 360

Kalmia angustifolia, 29; *latifolia*, 205
Klaprothea mentzelioides, 461
Koelreuteria bipinnata, 125, 126

Lactuca debilis, 111; *stolonifera*, 589
Lagerstroemia indica, 129
Lantana horrida, 358; *velutina*, 357, 358
Lathyrus leucanthus, 461; *palustris*, 113
Leersia virginica, 203
Lemaireocereus montanus, 457
Lemna minor, 93
Lenzites betulina, 406, 407
Leonurus sibirica, 111
Leptodictyon riparium, 164
Leskea australis, 164
Leucas ciliata, 129; *javanica*, 111
Leucobryum albidum, 163; *glaucum*, 163
Leucodon julaceus, 158
Leveillula taurica, 125, 128
LEVINE, MICHAEL: The effect of colchicine and acenaphthene in combination with X-rays on plant tissue—II, 34; III, 167
Liagora farinosa, 431; *lubrica*, 420; *viscida*, 433
Ligustrum lucidum, 129
Lindera megaphylla, 117
Lippia lanceolata and other unusual plants at Cross Lake, New York, 92

Literature, Index to American botanical, 96, 208, 327, 381, 481, 595
Lithocarpus dealbata, 109
Lobelia inflata, 67
Lucuma pallida, 467
Lycium chinense, 129
Lycopersicum esculentum, 129, 499, 535
Lycopodium clavatum, 67
Lyonia ligustrina var. *foliosiflora*, 29
Lysiloma divaricatum, 358; *watsoni*, 358, 459
Lythrum salicaria, 92

Macrosporium sarcinaeforme, 343
Magnolia schiedeana, 458, 460; *virginiana*, 29
MAGUIRE, BASSETT: Studies in the Caryophyllaceae—I, 326
MAHER, SISTER MARIA LAURENCE; The role of certain environmental factors in growth and reproduction of *Protosiphon botryoides* Klebs—I. Races, strains and clones, 573
Malus spectabilis, 111
Malva neglecta, 67; *rotundifolia*, 67; *verticillata*, 129
Manilkara emarginata, 467; subsp. *haitensis*, 467; *jaimiqui* subsp. **emarginata**, 467; subsp. **haitensis**, 467; subsp. **jaimiqui**, 467; subsp. **wrightiana**, 467
Maranta arundinacea, 461
MARTIN, JAMES S.: Notes on *Trifolium*, 366
Matricaria chamomila, 67
MATZKE, EDWIN B.: Carlton Clarence Curtis, 1864–1945, 103
Mazus reptans, 589
Medicago sativa, 129
Medicinal herbaceous species in the northeastern United States, 60
Mentha piperita, 68; *spicata*, 68
Menyanthes trifoliata, 68
Meristacium asterospermum, 10, 11
METZNER, JEROME [Review], 378
Microdictyon clathratum, 75, 77
Micropholis guyanensis, 311
Microsphaera alni, 114, 115; var. *dentatae*, 115; var. *ludens*, 118; *alni calocladophora*, 115; *benzoinis*, 117, 119; **berberidicola**, 115, 116; *berberidis*, 117; *blasti*, 117, 119; *bidentis*, 115; *decaisneae*, 115; *divaricata*, 115, 117; *euphorbiae*, 118; *grossulariae*, 115, 117; *lonicerae*, 115; **robiniae**, 118, 119; *sophorae*, 115, 117; *umbilici*, 118; *van-bruntiana*, 115
Mimosa palmeri, 358, 362
Mimulus verbenaceus, 461
Mimusops jaimiqui, 467; *wrightiana*, 467
Minutes of meetings of the Club, 93–95, 207, 379, 380, 472–478
Mirabilis jalapa, 129
Mitchella repens, 68
Mittenothamnium diminutivum, 157, 160, 164
Mnium affine, 92, 164; *cuspidatum*, 92
MOLDENKE, HAROLD N.: Another station for *Lactuca stolonifera*, 589. New and interesting plant records, 588
Momordica charantia, 109, 129
MONACHINO, JOSEPH [Review], 205–207
Montanoa patens, 360; sp., 358
Morus alba, 128; *australis*, 128
Mosses of Georgia—II. The coastal plain, 155
MUENSCHER, W. C.: *Lippia lanceolata* and other unusual plants at Cross Lake, New York, 92
Muhlenbergia emersleyi, 361; *gracilis*, 361; *rigida*, 459
Myrica cerifera, 29
Myrsine grisebachii, 302; *marginata*, 302; *manglilla*, 311; *schomburgkiana*, 468
Myzocytum vermicolum, 8

Naias multidentata, 365
Najas arguta, 363, 364; its relationship to *N. wrightiana*, 363; *guadalupensis*, 364; *minor*, 93; *multidentata*, 365; *wrightiana* subsp. **multidentata**, 365; subsp. **wrightiana**, 363–365
Nasturtium officinale, 516
NAYLOR, ERNST E.: Minutes of meeting of the Club, 475
Nemalion multifidum, 430, 433; *ramulosum*, 420
Nematode-destroying phycomycete forming immotile spores in aerial evacuation tubes, 1
Nepeta cataria, 68
Neurospora, heterocaryosis, mating-type factors, and sexual reproduction, 397; self-sterility in "bisexual" heterocaryons, 410; *crassa*, 397–408, 410; *sitophila*, 401, 404, 405, 410–416; *tetrasperma*, 397–408, 410
New and interesting plant records, 588
News notes, 379, 478–480, 594
Nicotiana tabacum, 111
Nomenclatural notes and a new species of *Cuscuta*, 570
Notes on the grasses, sedges and rushes of the Great Swamp (New Jersey), 203

Notes on the mosses and lichens of the Great Swamp (New Jersey), 91
Notes on the vegetation of Sierra Surotato in northern Sinaloa, 451
Notes on three South African rusts, 346
Notes on *Trifolium*, 366
Noteworthy plants of Texas—V. Additional Psoraleae, 131
Nycterisition argenteum, 300; *ferrugineum*, 306
Nyssa biflora, 29

Oenothera lamarckiana, 499, 516
Oidium, 129
On the use of artificial heat in the preparation of herbarium specimens, 235
Opuntia, A curious fungus on, 219; *ammophila*, 219–223
Oreopanax peltatum, 460
Origin of the microsporangium of *Pseudotsuga*, 547
Ostrya virginiana, 458, 460, 461
Oxalis corniculata, 130
Oxythece **ambelaniifolia**, 310; *fabrilis*, 467; **ferreirii**, 468; **glaucescens**, 310; *hahnianum*, 467; *leptocarpa*, 311; **pallida**, 467; **schomburgkiana**, 468

Pachycereus pecten-aboriginum, 359
Panax pseudo-ginseng, 130; *quinquefolium*, 68
Panicum agrostoides, 92, 93; *dichotomum*, 203; *lindheimeri* var. *fasciculatum*, 204; *microcarpon*, 203
Papaver somniferum, 454
PAPENFUSS, GEORGE F.: Proposed names for the phyla of algae, 217. Structure and reproduction of *Trichogloea requienii*, with a comparison of the genera of Helminthocladiaceae, 419
Parataeniella intermedia, 13
Parosela carthaginensis, 572; *domingensis*, 80–85; *emphysodes*, 85; *enneandra*, 133; *floridana*, 80–85; *humilis*, 85; *lasianthera*, 133; *pogonathera*, 133; *thyrsiflora*, 84, 85; **walkerae**, 133
Paspalum plicatum, 457
Paulownia tomentosa, 118, 128
Pedilanthus rubescens, 358
Pella ribesioides, 86, 88
Peronospora tabacina, 417, 418
Persea pubescens, 29, 32
Persicaria longiseta, 588; *tomentosa*, 588
Perymenium stenophyllum, 460
Phaeopsis montana, 186
Phakopsora grewiae, 347, 348
Phenax hirtus, 359
Philonotis glaucescens, 164; *longiseta*, 164
Phycomyces blakesleeanus, 478
Phycomycete, nematode-destroying, 1
Phyllactinia corylea, 121, 125, 126, 128, 129; var. *subspiralis*, 126, 127; *imperialis*, 129; *salmonii*, 128, 129; *subspiralis*, 126, 127
Phyllostegia glabra, 186; *yamaguchii*, 186
Physcomitrium turbinatum, 163
Physiological and biochemical basis for research on fungicides, 339
Picea canadensis, 205
Picramnia antidesma, 460
Picrasma quassioides, 114
Pieris mariana, 29; *nitida*, 29
Pinus ayacahuita, 458; *lumholtzii*, 458; *macrophylla*, 458; *oocarpa*, 458; *palustris*, 25; *pseudostrobus*, 458; *serotina*, 28; *strobus*, 205
Pisonia capitata, 358
Pisum sativum, 113
Pithecolobium sonorae, 358; *tortum*, 358
Plagiothecium geophilum, 164; *micans*, 158, 164
Plantago major, 111, 112
Platanus racemosa, 460, 461
Platygyrium repens, 157, 160, 161
Plectranthus eriocalyx, 113
Plectus parvus, 563
Pleuridium ravenelii, 162; *subulatum*, 162, 592
Plumeria rubra, 359, 361
Poa compressa, 203
Podophyllum peltatum, 68
Podosphaera leucotricha, 111; *oxyacanthae*, 111; *tridactyla*, 111
Pogonatum brachyphyllum, 158, 162; *pensilvanicum*, 162
Pohlia nutans, 92
Polygala senega, 68
Polygonum nodosum, 113
Polyphysa spicata, 75, 78
Polypodium virginianum f. cambricoides, 594
Polytrichum commune, 92, 157, 162; *piliferum*, 92
Populus simonii, 114, 120
Pouteria cayennensis, 310; *crotonoides*, 310; *engleri*, 310; *gardneri*, 310; *inflexa*, 470; *macrophylla*, 311; *minutiflora*, 311; *obscura*, 470; *pallida*, 467; *reticulata*, 311; **subsessilifolia**, 468, 469; **trilocularis**, 469
Pradosia glycyphloea, 311, 470, 471; *inophylla*, 311; *lactescens*, 310; **mutisii**, 470; *schomburgkiana*, 311

Principia utilis, 128
Proceedings of the Club, 93, 207, 379, 380, 472–477
Proposed names for the phyla of algae, 217
Protascus subuliformis, 9
Protosiphon botryoides, environmental factors in growth and reproduction of, 573–587
Prunella vulgaris, 460
Prunus cortopico, 360; *persica*, 111
Pseudotsuga, origin of the microsporangium of, 547–556
Psidium molle, 362; *sartorianum*, 358
Psittacanthus macrantherus, 461
Psoralea carthaginensis, 572; *emphysodes*, 84, 85, 572; *humilis*, 84, 85; *occidentalis*, 84; *phymatodes*, 84, 85; *scandens*, 83
Psoraleae of Texas, 131
Psoralidium floribundum, 132; *linearifolium*, 132; var. **palodurense**, 132; var. **texense**, 132; *obtusilobum*, 132; *tenuiflorum*, 132; **youngiae**, 131
Pteridium latiusculum, 28
Pterocarya stenoptera, 128
Ptychomitrium drummondii, 158, 163; *incurvum*, 163
Pueraria yunnanensis, 119, 127
Pyrus pasha, 128; *serotina*, 128
Pythium arrhenomanes, 559; *ultimum*, 1; *undulatum*, 1

Quercus albocincta, 362, 460; *acutissima*, 114; *alienta*, 128; *baroni*, 126; *candicans*, 458; *catesbaei*, 25; *chihuahuensis*, 362, 460; *delavayi*, 109; *durifolia*, 458; *endlichiana*, 458; *epileuca*, 458; *fabri*, 114, 121; *gentryi*, 458; *glauca*, 110; *pallescens*, 458; *pennivenia*, 458; *schottkyana*, 113; *tuberculata*, 460

Ranunculus ficaria, 590
RAPP, JANET L. C.: Notes on the grasses, sedges and rushes of the Great Swamp (New Jersey), 203. Notes on the mosses and lichens of the Great Swamp (New Jersey), 91
RAPP, WILLIAM F.: Notes on the grasses, sedges and rushes of the Great Swamp (New Jersey), 293. Notes on the mosses and lichens of the Great Swamp (New Jersey), 91
Ravenelia atrides, 346; *bottomleyae*, 348
Reinwardtia trigyne, 128
Remarks upon certain Hawaiian Labiatae and Compositae, 184
Remijia pedunculata, 61
Review of the status of several American species of *Dalea*, 80
Reviews:
A catalogue of Illinois algae, 378
Plantas medicinales, aromaticas o venenosas de Cuba, 205–207
Turtex microscopy booklet, 480
Rhabditis, 557–564
RICKETT, H. W.: Editorial note, 91
Raphanistrum inocuum var. *album*, 589
Rhizogonum spiniforme, 160, 164
Rhododendrum carolinianum, 205; *maximum*, 205
Rhoicissus cristata, 349; *holwayi*, 349; *rhomboidea*, 349
Rhus allophylloides, 459
Rhynchostegiella georgiana, 162, 164
Ricinus communis, 545
Robinia pseudo-acacia, 118, 130
Role of certain environmental factors in growth and reproduction of *Protosiphon botryoides* Klebs—I. Races, strains and clones, 573
Rosa canina, 68; *centifolia*, 109; *multiflora*, 109; *rugosa*, 109
Rubia oncotrica, 130
Rubus allegheniensis, 69; *canadensis*, 69; *idaeus*, 69; var. *aculeatissimus*, 69; *occidentalis*, 69; *strigosus*, 69
Rumex crispus, 69; *obtusifolius*, 69
Rusts, South African, 346

Sabal rosei, 361
ST. JOHN, HAROLD: Tinian plants collected by R. S. Cowan, 588
Salix wallichiana, 120
Salvia officinalis, 62, 63
Sambucus adnata, 113; *chinensis*, 117; *japonica*, 117; *racemosa*, 590
Sanguinaria canadensis, 69
SANSOME, EVA RICHARDSON: Heterocaryosis, mating-type factors, and sexual reproduction in *Neurospora*, 397
Sarracenia purpurea, 28
Sapota gonocarpa, 294
Sapotaceae, studies in,—V, 286; VI, 465
Sarcaulus brasiliensis, 310, 311
Saxifraga virginiensis, 590
Schlotheimia sullivantii, 158, 163
SCHORNHERST, RUTH O.: The mosses of Georgia—II. The coastal plain, 155
Schwetschkeopsis denticulata, 158, 165
Sciaromium lescurii, 158, 164
Scirpus americanus, 92; *atrovirens*, 204
Sclerotinia fructicola, 340, 343

Sedum pulchellum, physiological and morphological comparison of diploid, tetraploid, and hexaploid races, 495
Self-sterility in "bisexual" heterocaryons of *Neurospora*, 410
Sematophyllum adnatum, 164
Senecio aureus, 69, 592
Sequoia sempervirens, 479
Sesamum indicum, 225
SHARMA, A. K.: Cytogenetics of *Datura fastuosa* L., 438
SHERFF, EARL EDWARD: Remarks upon certain Hawaiian Labiatae and Compositae, 184
Sicyos andreanus, 569; *fusiformis*, 569; *macrocarpus*, 569; *martii*, 569; *palmatilobus*, 569; *quinquelobatus*, 569
Sideroxylon bolivianum, 294, 470; *reticulatum*, 294
Siegesbeckia orientalis, 130
Sierra Surotato, vegetation of, 451
Sierra Tacuichamona—a Sinaloa plant locale, 356
Sinapis alba, 245, 246, 248, 250–253, 261, 262, 266–269, 271–277, 371, 376
Simarouba amara, 544
SISTER MARIA LAURENCE MAHER: The role of certain environmental factors in growth and reproduction of *Protosiphon botryoides* Klebs—I. Races, strains and clones, 573
Sisyrinchium arizonicum, 460
Skierka robusta, 349
SKUTCH, ALEXANDER F.: A compound leaf with annual increments of growth, 542
Sloanea emarginata, 467
Smilax laurifolia, 28, 29
SMITH, HARRIET E.: *Sedum pulchellum:* a physiological and morphological comparison of diploid, tetraploid, and hexaploid races, 495
Solanum amazonium, 358; *dulcamara*, 69; *lycopersicum*, 499, 535; *nigrum*, 499
Solmsiella biserrata, 162, 163
Sonchus arvensis, 111, 112; *oleracea*, 130
Sophora japonica, 121, 130; *viciifolia*, 130
Spathodea campanulata, 544
Species of *Harposporium* invading its nematode host from the stoma, 557
Sphaerotheca fuliginea, 108–110; *humuli*, 109, 110; *lanestris*, 109, 111, 116; *pannosa*, 109, 110; *wrightii*, 110, 111
Sphagnum cuspidatum, 165; *cyclophyllum*, 165; *henryense*, 158, 165; *macrophyllum*, 158, 165; *magellanicum*, 165; *palustre*, 165; *portoricense*, 158, 165; *recurvum*, 165; *strictum*, 165; *subsecundum*, 165
Spiraea ulmaria, 230
Spondias lutea, 545
Sporangial propagation of blue mold fungus on aseptically grown tobacco seedlings, 417
Spumula bottomleyae, 347; *clemensiae*, 349; *quadrifida*, 349
STEINBERG, ROBERT A.: Sporangial propagation of blue mold fungus on aseptically grown tobacco seedlings, 417
Stenogyne kaalae, 186; var. *coriacea*, 186; *mollis*, 185, 186; *rugosa*, 185–188; var. *mollis*, 185; var. *subulata*, 186–188; *sherffii*, 186
Stereocaulon pileatum, 594
STOUT, A. B.: Types of anthesis in *Hemerocallis* and their heredity in F_1 hybrids, 134
Streptosonum agile, 13
Structure and reproduction of *Trichogloea requienii*, with a comparison of the genera of Helminthocladiaceae, 419
Studies in the Caryophyllaceae—I, 326
Studies in the Sapotaceae—V, 286; VI, 465
Studies on Philippine Chlorophyceae—II, 73
Styrax argenteus, 458, 461
SUN, VON GEE: Evaluation of taxonomic characters of cultivated *Brassica* with a key to species and varieties—I. The characters, 244; II, The key, 370
Symplocarpus foetidus, 69
Syrrhopodon floridanus, 163; *ligulatus*, 157, 159, 160, 163; *texanus*, 158, 163
Syzygiopsis oppositifolia, 471; **sericea**, 471

Tabebuia chrysantha, 358; *palmeri*, 357, 362
TAI, F. L.: Further studies on the Erysiphaceae of China, 108
Taraxacum officinale, 70, 528; *orientale*, 108
Taxonomy, embryological formulas in, 351
Tetraplodon pensylvanicus, 158, 159, 163
Thalictrum delavayi, 113; *reticulatum*, 113
THARP, B. C.: Noteworthy plants of Texas—V. Additional Psoraleae, 131
Thelastosomum attenuatum, 13
Thelia asprella, 164; *hirtella*, 158, 164
THIRUMALACHAR, M. J.: Notes on three South African rusts, 346
Thuidium delicatulum, 165; *microphyllum*, 165

Thymus serpyllum, 70
Tillandsia inflata, 455
Tinian plants collected by R. S. Cowan, 588
Tobacco, glandular leaf hairs of, 224–233
Torreya, 91, 203, 378, 472, 588
Torreya taxifolia, 552
Tortella humilis, 163
Tortula pagorum, 160, 163
Tradescantia canaliculata, 499; *occidentalis*, 499
Tretopileus opuntiae, 219–223
Trichoderma viride, 342
Trichogloea lubrica, 419, 420, 422, 423; *requienii*, 419–436; structure and reproduction of, 419; *subnuda*, 419, 420, 422, 423, 425, 427–430, 433
Trifolium, notes on, 366; *gymnocarpon*, 366–368; var. **gymnocarpon**, 366, 367; f. *plummerae*, 368; var. **plummerae**, 366–368; var. *subcaulescens*, 366; *lemmoni*, 366; *plummerae*, 366, 368; *plumosum*, 367, 368; var. **amplifolium**, 368, 369; var. *plumosum*, 368; *pratense*, 70
Trillium erectum, 70
Triodia flava, 203
Tripsacum dactyloides, 594; *lanceolatum*, 361
Triticum aestivum, 113
Triumfetta chihuahuensis, 459, 460
Tropaeolum majus, 128
Tsuga canadensis, 205; *carolinianum*, 205
Turpinia occidentalis, 545
Tussilago farfara, 70
Types of anthesis in *Hemerocallis* and their heredity in F_1 hybrids, 134
Typhulochaeta japonica, 125, 126; **koelreuteriana**, 125

Udotea argentea var. *spumosa*, 76; *flabellum*, 76, 78; *orientalis*, 76, 78; *sordida*, 74, 78
Ulmus pumila, 118
Ulva compressa, 73; *lactuca*, 76, 77; *intestinalis*, 73, 77; *reticulata*, 73–77; *umbilicalis*, 73
Uncinula acalyphae, 116, 123, 124; *aceris*, 124; *australiana*, 125, 129; *bulbosa*, 125; *carpinicola*, 122, 123; *cedrelae*, 120; *clandestina*, 124; *clintonii*, 118, 125; *curvispora*, 121; *delavayi*, 118–120, 125, 130; var. **cedrelae**, 119, 125; var. **nodulosae**, 120, 125; *ehretiae*, 123, 125; *fraxini*, 124; *geniculata*, 122; *kenjiana*, 118, 124; *koelreuteriae*, 121, 125, 126, 130; *mandshurica*, 120, 121; *miyabei*, 120, 125; var. *aleuritis*, 125; *mori*, 125; *nankinensis*, 124; *necator*, 124; *polychaeta*, 126, 127; *polyfida*, 124; *salicis*, 120, 121, 125; *salicis-gracilistylae*, 125; *sengokui*, 121, 125; *septata*, 121, 124, 126; *shiraiana*, 126, 127; *simulans*, 124; *sinensis*, 121, 122, 124; *tulasnei*, 124; *verniciferae*, 116, 122, 123, 125; *yunnanensis*, 123, 125
Uncinulella curvispora, 121
Uncinulopsis polychaeta, 119, 126; *shiraiana*, 126; *subspiralis*, 125
Uredo grewiae, 347, 348
Urena lobata, 130
Urera caracasana, 359, 360
Urginea maritima, 62, 63
Urostigma caulobotryum, 86, 89; *ceylonense*, 86, 89; *infectorium*, 86, 90; *lucescens*, 320, 323; *rigidum*, 90; *tsjahela*, 86, 89
Urtica angustifolia var. *abbreviata*, 130
Use of embryological formulas in plant taxonomy, 351

Vaccinium australe, 29; *corymbosum*, 205; *crassifolium*, 29
Valeriana officinalis, 62, 63, 73
Valonia fastigiata, 75, 76, 77; *macrophysa*, 74, 75, 77; *utricularis*, 74–77
Veratrum viride, 70
Verbascum phlomoides, 70; *thapsus*, 70, 230
Verbena hastata, 70
Veronica chamaedrys, 591; *humifusca*, 591; *persica*, 589
Virburnum dentatum, 205; *nudum*, 29
Vicia dasycarpa, 113; *ervilla*, 113; *faba*, 113; *grandiflora* var. *sordida*, 588; *moatha*, 113; *sativa*, 113; *terasperma*, 113; *unijuga*, 130; *villosa*, 113
Vigna sinensis, 130
Viola blanda, 590; *hastata*, 592; *lanceolata*, 592; *neomexicana*, 461; *palmata*, 590; *prunifolia*, 592; *rostrata*, 590

WALKER, EGBERT H.: Additional introduced plants in the Aleutian Islands, 204
Weisia viridula, 158, 163
Welwitschia mirabilis, 545
WHERRY, EDGAR T.: The *Gilia aggregata* group, 194
WOLF, FREDERICK A.: Further consideration of glandular leaf hairs of tobacco and of their significance, 224

WYNNE, FRANCES E.: Minutes of meetings of the Club, 93–95, 207, 379, 380, 472–474

X-rays, Effect of in combination with colchicine and acenaphthene on plant tissue, 34–59, 167

YUNCKER, T. G.: Nomenclatural notes and a new species of *Cuscuta*, 570

Zazula echinata, 204
Zenobia cassinefolia, 28, 29
Zeugitis latifolia, 461

DIRECTORY OF DEALERS
IN MATERIALS OF SCIENCE

The firms listed in this section represent reputable dealers in materials for the laboratory, library, greenhouse, field and garden.

Before you make your purchases consult these firms.

You are assured of courteous treatment and an ample discount.

Mention the BULLETIN

TORREY BOTANICAL CLUB

OFFERS TO BOTANICAL LIBRARIES AND OTHERS wishing to keep in touch with the rapidly growing American botanical literature

A CARD INDEX

of all botanical publications of the New World from 1907 to 1944. **Each title is printed on a separate card in two sizes, 2″ x 5″ and 3″ x 5″, in library style, and is available at 3 cents each.**

Sets may be purchased for any year in this period. **Beginning with 1943, subscriptions will be taken for an entire set or for any of the separate classified subjects in which the titles are arranged.** The approximate total number of cards for 1946 will be 2000. For the proportions of the different subjects, see the sample in this month's issue.

Address all inquiries to

ANNE M. HANSON, Business Manager

Box 12 Schermerhorn Hall, Columbia University, New York 27, N. Y.

ALCONOX

Cleans Slides and Cover Glasses to Sparkling Brilliance

Alconox, the modern wetting agent cleanser, is proving its worth in hundreds of laboratories where clean glassware is so essential.

Unlike strong acids, Alconox is not dangerous to use. Its action is physical rather than chemical. Alconox is economical. A 3 lb. package makes 48 gallons of cleaning solution.

Send for Free Samples.

Per package of 3 lb. $1.25

Per carton of twelve 3 lb. pkgs. 12.50

F.O.B. New York City

STANDARD SCIENTIFIC SUPPLY CORP.

34 West 4th St., New York City

A Message to Biologists

Some biologists take *Biological Abstracts* for granted. It's just one of those things they couldn't very well get along without—but they don't stop to think that they have any responsibility in the matter.

If *Biological Abstracts* were discontinued what would it mean to you? —how would you keep abreast of all the important literature in your field? Many leading scientists have said that *Biological Abstracts* is one journal they just could not afford to dispense with.

Biological Abstracts is the biologists journal. It is a co-operative, non-profit enterprise published by biologists themselves. Due to unprecedented increases in production costs—and the added expense of abstracting the large accumulation of foreign literature—this invaluable service to biologists is faced with a difficult financial problem.

Biological Abstracts needs the active support of every biologist. Send your subscription or ask for a sample copy now. It is published in eight low priced sections in addition to the complete issue.

BIOLOGICAL ABSTRACTS

University of Pennsylvania

Philadelphia, Pa.

Presenting the new!

D.P. 300 DUAL PURPOSE PROJECTOR



for viewing strip film and 2 x 2″ slides

This projector is the finest of its type ever produced. It is new in its entirety, and combines the highest quality in picture presentation with simplicity of operation for educational purposes and individual study.

THE NEW T.D.C. SLIDE PROJECTOR

for 2 x 2″ slides



√ these outstanding features embodied in the D.P. 300 DUAL PURPOSE PROJECTOR and the T.D.C. SLIDE PROJECTOR illustrated.

- 300 WATTS OF COOL LIGHT.
- FOCUS FINDER slide changer. Smooth and positive, insuring constant critical focus of all slides regardless of thickness.
- MICRO FOCUS. The new focusing knob insures rapid, positive focusing.
- ANASTIGMAT LENS. For vivid, crisp, true-color screen images of extremely flat field.
- CONDENSER DESIGN. Flat-field brilliance with cooler operation. Each element accessible.
- ELEVATING AND DEPRESSING. Positive knob controlled rapid tilting mechanism.
- POINTER APERTURE. Permits projection pointing of picture highlights.
- MINIMUM LIGHT SPILL through novel grill construction.
- EXCLUSIVE CASE. New Lift-Off top.

A-1583	D.P. 300 DUAL PURPOSE PROJECTOR, complete with 5 inch Anastigmat Lens with carrying case.	$86.00
A-1583X	Same as above, but without carrying case	$77.50
A-1580	T.D.C. PROJECTOR with 5 inch Anastigmat Lens, 300 watt lamp and Lift-Off type carrying case ...	$64.20
A-1580C	Same as above, but with coated lens, giving approximately 25% more light.	$70.20

ORDER NOW!
Write for literature.

CLAY-ADAMS CO INC.

44 EAST 23rd STREET, NEW YORK 10, N. Y.

Your interest in the botanical sciences is your

INVITATION TO JOIN THE TORREY BOTANICAL CLUB

(The oldest botanical Society in America, International in scope, Affiliated with the N. Y. Academy of Sciences and A.A.A.S.)

Annual Membership dues $5,* entitles you to the following publications of the Club:

The *Bulletin* in its 73rd volume, 6 numbers a year.**

Schedules of *field trips* and notices of all local science *meetings.*

Associate Membership $2.

Schedules of *field trips.* Notices of local science *meetings.*

Sustaining Membership $15.* *Life Membership* $100.*

All privileges and publications.

Mention this notice when you send your name and address to:

E. H. FULLING, *Treasurer*

The New York Botanical Garden, New York 58, N. Y.

* 60% of this amount covers a subscription to the *Bulletin* and 10% covers a subscription to *Torreya.*

** Beginning with 1946, *Torreya* will be merged with the *Bulletin.*

MEMOIRS OF THE TORREY BOTANICAL CLUB

A SERIES of technical papers on subjects of fundamental importance, and of greater length than can generally be accommodated by botanical journals.

THE FIRST MEMOIR was published on the 25th of May, 1889. Since then they have continued to appear at irregular intervals. During this time 46 Memoirs have been published. Among them are included some of the most outstanding original contributions to the development of botanical science.

EXAMPLES OF RECENT MEMOIRS OF THE TORREY BOTANICAL CLUB

Robert T. Clausen. A Monograph of the Ophioglossaceae. Pages 1–177, *figures 1–33.* Vol. 19, No. 2. 1938. Price $2.00.

G. Ledyard Stebbins, Jr. Studies in the Cichorieae: Dubyaea and Soroseris, Endemics of the Sino-himalayan Region. Pages 1–76, *figures 1–17.* Vol. 19, No. 3. 1940. Price $1.25 and postage.

Rogers McVaugh. A Monograph on the Genus Downingia. Pages 1–57, *figures 1–16.* Vol. 19, No. 4. 1941. Price 1.00.

John T. Middleton. The Taxonomy, Host Range and Geographic Distribution of the Genus Pythium. Pages 1–172, *figures 1–17.* Vol. 20, No. 1. 1943. Price $2.00.

FOR FURTHER information about the MEMOIRS OF THE TORREY BOTANICAL CLUB, including a list of all those published with the prices of those still available, address

ANNE M. HANSON, Business Manager

Box 12 Schermerhorn Hall, Columbia University, New York 27, N. Y.

THE AMERICAN NATURALIST

ESTABLISHED 1867

The Oldest Biological Journal and the Second Oldest Scientific Journal in the United States
Published Bimonthly

CONTAINING

Outstanding contributions from those most distinguished in the field of biology.

Research articles of length which contribute to biological knowledge.

Shorter articles including preliminary reports of research of recognized importance.

The best biological symposia presented during the current year.

THE SCIENCE PRESS

LANCASTER PENNSYLVANIA

*THE AMERICAN BIOLOGY TEACHER

THE NATIONAL JOURNAL DEVOTED TO THE PROBLEMS AND NEEDS OF ALL THOSE INTERESTED IN BIOLOGY AND PEDAGOGY

- **SCIENTIFIC ARTICLES**
- **TEACHING AIDS**
- **BOOK REVIEWS**
- **PEDAGOGIC ARTICLES**
- **EXCHANGE SERVICE**
- **LOCAL ORGANIZATION NEWS**

Write for Your Free Copy Today

M. A. RUSSELL, *Sec.-Treas.*
403 CALIFORNIA AVE.,
ROYAL OAK, MICH.

* Official Publication of

THE NATIONAL ASSOCIATION OF BIOLOGY TEACHERS